

EAST SEARCH

S1	102	(US-20020103909-\$).did. or (US-3571530-\$ or US-3811015-\$ or US-4797676-\$ or US-4807196-\$ or US-4882683-\$ or US-4893307-\$ or US-4910733-\$ or US-4949248-\$ or US-5023873-\$ or US-5063562-\$ or US-5121390-\$ or US-5323444-\$ or US-5325361-\$ or US-5347632-\$ or US-5553083-\$ or US-5566287-\$ or US-5606705-\$ or US-5611048-\$ or US-5655152-\$ or US-5682478-\$ or US-5692126-\$ or US-5727057-\$ or US-5727159-\$ or US-5754752-\$ or US-5754830-\$ or US-5758084-\$).did. or (US-5793983-\$ or US-5796393-\$ or US-5802278-\$ or US-5802293-\$ or US-5822768-\$ or US-5828333-\$ or US-5832510-\$ or US-5835721-\$ or US-5881239-\$ or US-5935215-\$ or US-5940067-\$ or US-5940771-\$ or US-5958013-\$ or US-5974409-\$ or US-5987430-\$ or US-5999711-\$ or US-6012052-\$ or US-6014669-\$ or US-6014702-\$ or US-6028600-\$ or US-6031978-\$ or US-6065116-\$ or US-6076110-\$ or US-6085238-\$ or US-6088707-\$ or US-6088738-\$ or US-6097401-\$).did. or (US-6105027-\$ or US-6119230-\$ or US-6128601-\$ or US-6128662-\$ or US-6128738-\$ or US-6130660-\$ or US-6137783-\$ or US-6145001-\$ or US-6148049-\$ or US-6182142-\$ or US-6205498-\$ or US-6211877-\$ or US-6216101-\$ or US-6233565-\$ or US-6247055-\$ or US-6279001-\$ or US-6330607-\$ or US-6374207-\$ or US-6381654-\$ or US-6400631-\$ or US-6405254-\$ or US-6415353-\$ or US-6430562-\$ or US-6477382-\$ or US-6490251-\$ or US-6490618-\$ or US-6515974-\$).did. or (US-6546425-\$ or US-6567668-\$ or US-6574239-\$ or US-6597701-\$ or US-6598167-\$ or US-6601087-\$ or US-6609198-\$ or US-6628645-\$ or US-6628771-\$ or US-6681327-\$ or US-6707567-\$ or US-6826603-\$ or US-6829642-\$).did. or (EP-469197-\$).did. or (NB9209258 or NB930617 or NN86034419 or NN86034482 or NN8804238 or NNRD410137 or NNRD422115). tban.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/28 20:01
----	-----	---	---	----	----	------------------

S2	3	reconnect\$3 with request near3 refresh	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 17:08
S3	6	reconnect\$3 with request with refresh	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 17:09
S4	6	(reconnect\$3 re-connect\$3) with request with refresh	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/20 17:09
S5	11	(reconnect\$3 re-connect\$3) with request\$3 with refresh\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/22 12:22
S7	1	"6374207".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/22 13:54
S8	1	"6374207".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/22 13:54
S9	11	("4281315" "5410679" "5524137" "5604896" "5611048" "5625774" "5734831" "5764916" "5974135" "6008811" "6011915").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 13:55
S10	4	S9 and ((log adj in) login)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 13:58
S11	128	forward\$4 near3 (logon login)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 13:59
S12	4	forward\$4 near3 (logon login) near3 (screen display window)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 13:03
S13	5	forward\$4 near3 (logon login) with (screen display window)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:00
S14	37	forward\$4 with (logon login) with (screen display window)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:19
S15	8	forward\$4 with (logon login) near3 (screen display window)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 15:01

S16	5	("6,108,790" "6,199,077" "7,460,038" "6,732,105" "6,785,824" "6,865,680").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:14
S17	1	forward\$4 with (logon login) with (screen display window) same refresh\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:20
S18	3	forward\$4 with (logon login) with (screen display window) and refresh\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:21
S19	1994	gateway with authenticat\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:22
S20	2	gateway with authenticat\$3 with (logon login) with (window screen display)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:23
S21	398	authenticat\$3 with (logon login) with (window screen display)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:24
S22	231	authenticat\$3 with (logon login) near3 (window screen display)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:24
S23	155	authenticat\$3 with (logon login) adj (window screen display)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:24
S24	41	authenticat\$3 with (logon login) adj (window screen display) and (@ad<"20010131" or @rlad<"20010131") not (international adj business adj machines).as.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:25
S25	49	authenticat\$3 with (logon login) adj (window screen display) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:25
S26	3	authenticat\$3 with (logon login) adj (window screen display) and (@ad<"20010131" or @rlad<"20010131") not (international adj business adj machines).as. and telnet	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:35
S27	5	telnet same (login logon) adj screen	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:36
S28	7	telnet same (login logon) adj (screen window)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:38
S29	95	telnet and (login logon) adj (screen window)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:38

S30	40	telnet and (login logon) adj (screen window) and (@ad<"20010131" or @rlad<"20010131") not (international adj business adj machines).as.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:42
S31	2	authenticate with reconnect\$ and (@ad<"20010131" or @rlad<"20010131") not (international adj business adj machines).as.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:43
S32	38	authentikat\$4 with reconnect\$ and (@ad<"20010131" or @rlad<"20010131") not (international adj business adj machines).as.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:43
S33	3	authentikat\$4 with reconnect\$ same password and (@ad<"20010131" or @rlad<"20010131") not (international adj business adj machines).as.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/22 14:43
S34	4	LUSTAT	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 09:23
S35	1	"6415331".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 18:24

S37	42	S36 and (logon login ((log logged logging) adj (on in)) log-in log-on)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 17:38
S38	4	S36 and (logon login ((log logged logging) adj (on in)) log-in log-on) same (reconnect\$4 re-connect\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 17:49
S39	8	S36 and (logon login ((log logged logging) adj (on in)) log-in log-on) same (telnet)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 17:49
S40	605	(logon login ((log logged logging) adj (on in)) log-in log-on) same (telnet)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 17:49
S41	0	S36 and (logon login ((log logged logging) adj (on in)) log-in log-on) same (reconnect\$4 re-connect\$4) same telnet	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 17:50
S42	1	(logon login ((log logged logging) adj (on in)) log-in log-on) same (reconnect\$4 re-connect\$4) same telnet	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 17:57
S43	15	(logon login ((log logged logging) adj (on in)) log-in log-on) same (reconnect\$4 re-connect\$4) and telnet	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 18:14
S44	2120	gateway with authenticat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 18:09
S45	178	gateway with authenticat\$4 with password	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 18:09
S46	13	gateway with authenticat\$4 with password and telnet	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 18:11
S47	12	gateway with authenticat\$4 same (reconnect\$4 re-connect\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 18:13
S48	17	gateway same authenticat\$4 same (reconnect\$4 re-connect\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 18:13

S49	5	S48 not S47	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 18:13
S50	178	(logon login ((log logged logging) adj (on in)) log-in log-on) same (reconnect\$4 re-connect\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 18:17
S51	111	(logon login ((log logged logging) adj (on in)) log-in log-on) same (reconnect\$4 re-connect\$4) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 18:17
S52	102	(logon login ((log logged logging) adj (on in)) log-in log-on) same (reconnect\$4 re-connect\$4) and (@ad<"20010131" or @rlad<"20010131") not (international adj business adj machines).as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 18:15
S53	0	(logon login ((log logged logging) adj (on in)) log-in log-on) same (forward\$4) same (reconnect\$4 re-connect\$4) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 18:16
S54	50	(logon login ((log logged logging) adj (on in)) log-in log-on) same (reconnect\$4 re-connect\$4) and forward\$4 and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 18:16
S55	9	(logon login ((log logged logging) adj (on in)) log-in log-on) same (reconnect\$4 re-connect\$4) and telnet and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 18:17
S56	12	(logon login ((log logged logging) adj (on in)) log-in log-on) with (screen window display) same (reconnect\$4 re-connect\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 18:18
S57	1510	(authoriz\$6 authentic\$6) with (connect\$4 reconnect\$4) with password	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 18:25
S58	16	(authoriz\$6 authentic\$6) with (connect\$4 reconnect\$4) with password same (application adj server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 18:25

S59	7	(authoriz\$6 authentic\$6) with (connect\$4 reconnect\$4) with password same (application adj server) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:18
S60	4	forward\$4 near2 (login logon log-in log-on (log adj (in on))) near3 (screen window display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:23
S61	5	forward\$4 near3 (login logon log-in log-on (log adj (in on))) near3 (screen window display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:22
S62	9	forward\$4 with (login logon log-in log-on (log adj (in on))) near3 (screen window display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:22
S63	4	S62 not S61	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:22
S64	49	(send sends sending) near2 (login logon log-in log-on (log adj (in on))) near3 (screen window display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:23
S65	35	(send sends sending) near2 (login logon log-in log-on (log adj (in on))) adj (screen window display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:23
S66	22	(send sends sending) near2 (login logon log-in log-on (log adj (in on))) adj (screen window display) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:26
S67	0	(refresh adj request) same (login logon log-in log-on (log adj (in on))) adj (screen window display) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:27
S68	3	(refresh adj request) and (login logon log-in log-on (log adj (in on))) adj (screen window display) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:27
S69	0	(refresh near2 request) same (login logon log-in log-on (log adj (in on))) adj (screen window display) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:27

S70	0	(refresh near2 request) same (login logon log-in log-on (log adj (in on))) near3 (screen window display) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:28
S71	17	(refresh near2 request) same (login logon log-in log-on (log adj (in on))) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:43
S72	1062	(login logon log-in log-on (log adj (in on))) adj (screen window display) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:43
S73	2	gateway with (login logon log-in log-on (log adj (in on))) adj (screen window display) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:44
S74	1	forward\$3 with (login logon log-in log-on (log adj (in on))) adj (screen window display) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:44
S75	42	send\$3 with (login logon log-in log-on (log adj (in on))) adj (screen window display) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:44
S76	22	send\$3 near2 (login logon log-in log-on (log adj (in on))) adj (screen window display) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 19:46
S77	4	("5005200" "4471216" "5534855" "5757920").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:06
S78	0	(reconnect\$4 re-connect\$4) same (send\$3 adj previous adj screen)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:06
S79	0	(send\$3 adj previous adj screen)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:06
S80	0	(forward\$4 adj previous adj (screen window display))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:07

S81	4394	previous adj (screen window display)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:08
S82	0	resend\$3 adj (previous adj (screen window display)):	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:08
S83	4	(resend\$3 send\$3) near2 (previous adj (screen window display))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:09
S84	17	(received receive receiving) near2 (previous adj (screen window display))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:25
S85	33	resume with (left adj off) with (screen display window)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:14
S86	16	(resume resuming) with (left adj off) with (screen display window) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:15
S87	25	refresh\$3 with (previous adj (screen display window))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:15
S88	22	refresh\$3 with (previous adj (screen display window)) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:17
S89	0	server adj (send sends sending sent) with (previous adj (screen display window)) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:18
S90	0	server adj (forward\$4) with (previous adj (screen display window)) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:17
S91	0	server adj (forward\$4) with (previous near (screen display window)) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:17
S92	0	server adj (send sends sending sent) with (previous near (screen display window)) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:18

S93	2223	previous adj screen	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:18
S94	10	previous adj screen near4 sent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:19
S95	827	(resume resuming) with (left adj off)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:20
S96	16	(resume resuming) with (left adj off) with screen	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:21
S97	15	(resume resuming) with (left adj off) with display	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:23
S98	454	(resume resuming) with (re-connect\$4 reconnect\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:23
S99	0	(resume resuming) with (re-connect\$4 reconnect\$4) same (previous adj (screen display window))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:23
S10 0	1	(resume resuming) with (re-connect\$4 reconnect\$4) and (previous adj (screen display window))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:24
S10 1	0	(resume resuming) with (re-connect\$4 reconnect\$4) and (last adj (screen display window))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:24
S10 2	3	(resume resuming) with (last adj (screen display window))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:24
S10 3	34	(received receive receiving) near2 (last adj (screen window display))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:29
S10 4	29908	(previous previously) near3 (screen display window)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:29

S10 5	1521	(return returning returned) near3 (previous previously) near3 (screen display window)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:30
S10 6	89	(forward forwarding forwarded) near3 (previous previously) near3 (screen display window)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:30
S10 7	47	(forward forwarding forwarded) near3 (previous previously) near (screen display window)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:30
S10 8	32	(forward forwarding forwarded) near3 (previous previously) near (screen display window) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:31
S10 9	890	(resume resumed resuming) with (left adj off)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:32
S11 0	1321	((resume resumed resuming) ((pick picking picked) adj up)) with (left adj off)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:32
S11 1	0	((resume resumed resuming) ((pick picking picked) adj up)) with (left adj off) same (previous adj (screen display window terminal))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:33
S11 2	63	((resume resumed resuming) ((pick picking picked) adj up)) with (left adj off) with ((screen display window terminal))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:33
S11 3	30	((resume resumed resuming) ((pick picking picked) adj up)) with (left adj off) with ((screen display window terminal)) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:55
S11 4	4260	last near ((screen display window terminal)) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:56
S11 5	49	(show showing display displaying) adj last near ((screen window terminal)) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 20:56

S11 6	5	(show showing display displaying) adj last near ((screen window terminal)) same (reconnect\$4 re-connect\$4 connect\$4) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:01
S11 7	847	last near ((screen window terminal)) same (reconnect\$4 re-connect\$4 connect\$4) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:01
S11 8	641	last near ((screen window terminal)) with (reconnect\$4 re-connect\$4 connect\$4) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:01
S11 9	15	last adj ((screen window)) with (reconnect\$4 re-connect\$4 connect\$4) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:03
S12 0	0	previous adj ((screen window)) with (reconnect\$4 re-connect\$4) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:03
S12 1	31	((screen window)) with after near4 (reconnect\$4 re-connect\$4) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:06
S12 2	0	(recent recently) near5 ((screen window)) with (reconnect\$4 re-connect\$4) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:06
S12 3	0	(recent recently) with ((screen window)) with (reconnect\$4 re-connect\$4) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:06
S12 4	0	(recent recently) adj viewed with ((screen window)) with (reconnect\$4 re-connect\$4) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:06
S12 5	13	(recent recently) adj viewed with ((screen window)) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:09

S12 6	149	(recent recently) adj ((screen window)) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:09
S12 7	43	(show showing displaying display) with (recent recently) near ((screen window)) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:09
S12 8	1	(show showing) with (recent recently) near ((screen window)) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:09
S12 9	43	(displaying display) with (recent recently) near ((screen window)) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:10
S13 0	1934	previous adj ((screen window)) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:10
S13 1	520	(return returning) with (previous adj ((screen window))) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:10
S13 2	35	(return returning) with (previous adj ((screen window))) same (connect\$4) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:11
S13 3	9	(return returning) with (previous adj ((screen window))) with (connect\$4) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/24 21:11
S13 4	879	707/202.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 11:02
S13 5	5803	707/3.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 10:07
S13 7	6646	S134 S135	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 11:02
S13 8	107	S137 and ((last previous\$2) near4 screen)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 11:03
S13 9	60	S137 and ((last previous\$2) near4 screen) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 11:03

S14 0	5	S137 and ((last previous\$2) near4 screen) same (send sent sending forward forwarded forwarding) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 11:13
S14 1	0	S137 and ((last previous\$2) near4 screen) same (resume resuming resumed) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 11:14
S14 2	21	S137 and ((last previous\$2) near4 screen) same (return returned returning) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 11:15
S14 3	19	S137 and (current near4 screen) same (return returned returning) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 12:50
S14 9	1119	(resume resumed resuming) with session	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/25 13:04
S15 0	1	(resume resumed resuming) with session same (screen near refresh\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/25 13:04
S15 1	11	(resume resumed resuming) with session and (screen near refresh\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/25 13:06
S15 2	162	((login logon log-in log-on) ((log\$3) adj (in on))) and (screen near refresh\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/25 13:11
S15 3	98	((login logon log-in log-on) ((log\$3) adj (in on))) and (screen near refresh\$3) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/25 13:12
S15 4	57	((login logon log-in log-on) ((log\$3) adj (in on))) same server and (screen near refresh\$3) and (@ad<"20010131" or @rlad<"20010131")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/25 13:12
S15 5	1	"20020103909"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 09:16
S15 6	1	"20020103909" and LUSTAT	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/26 09:16

S15 7	1	"6415331".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/28 20:01
----------	---	---------------	---	----	----	------------------

RFC Archive Search

Results for query "2355"

File name (modification date), and list of matched lines

1. [rfc4059.html](#), (Oct 28 2005)

- 2355 Oakland Road
 - 2355 Oakland Road
-

2. [rfc3700.html](#), (Oct 28 2005)

- TN3270E TN3270 Enhancements 2355
-

3. [rfc3795.html](#), (Oct 28 2005)

- 4.16. RFC 2355: TN3270 Enhancements
-

4. [rfc3600.html](#), (Oct 28 2005)

- TN3270E TN3270 Enhancements 2355
-

5. [rfc3300.html](#), (Oct 28 2005)

- TN3270E TN3270 Enhancements 2355
-

6. [rfc3000.html](#), (Oct 28 2005)

- TN3270E TN3270 Enhancements 2355
-

7. [rfc2900.html](#), (Oct 28 2005)

- TN3270E TN3270 Enhancements 2355
-

8. [rfc2800.html](#), (Oct 28 2005)

- TN3270E TN3270 Enhancements 2355
-

9. [rfc2700.html](#), (Oct 28 2005)

- TN3270E TN3270 Enhancements 2355
-

10. [rfc2626.html](#), (Oct 28 2005)

- 2355:

11. [rfc2600.html](#), (Oct 28 2005)

- TN3270E TN3270 Enhancements 2355

12. [rfc2562.html](#), (Oct 28 2005)

- TN3270E, defined by RFC 2355 [19], refers to the enhancements made to
- Enhancement (RFC 2355 [19]) RESPONSES function to calculate response
- [19] Kelly, B., "TN3270 Enhancements", RFC 2355, June 1998.

13. [rfc2561.html](#), (Oct 28 2005)

- and managing TN3270E servers. TN3270E, defined by RFC 2355 [19],
- 'pool' is used as it is defined by RFC 2355.
- negotiated. Refer to RFC 2355 for how device types
- [19] Kelly, B., "TN3270 Enhancements", RFC 2355, June 1998.

14. [rfc2500.html](#), (Oct 28 2005)

- TN3270E Telnet Option - TN3270 Enhancements 2355*

15. [rfc2400.html](#), (Oct 28 2005)

- 2355 - TN3270 Enhancements
- TOPT-TN3270E TN3270 Enhancements 40 Draft Ele 2355 *

16. [rfc2399.html](#), (Oct 28 2005)

- 2355 Kelly Jun 1998 TN3270 Enhancements

17. [rfc2356.html](#), (Oct 28 2005)

- Previous: RFC 2355 - TN3270 Enhancements

18. [rfc2355.html](#), (Oct 28 2005)

- RFC 2355 (rfc2355) - TN3270 Enhancements
-
- RFC 2355 (RFC2355)
- erfc("2355");
- RFC 2355 - TN3270 Enhancements
- Request for Comments: 2355 Auburn University
- erfc("2355");

CONSIDERED

19. [rfc2354.html](#), (Oct 28 2005)

- Next: RFC 2355 - TN3270 Enhancements

20. **rfc4059.html.old**, (May 15 2005)

- 2355 Oakland Road
- 2355 Oakland Road

21. **rfc3700.html.old**, (Jul 30 2004)

- TN3270E TN3270 Enhancements 2355

22. **rfc-ref.html**, (Jul 29 2004)

- RFC2355 || Kelly, B., "TN3270 Enhancements", RFC 2355, June 1998.

23. **rfc3795.html.old**, (Jun 9 2004)

- 4.16. RFC 2355: TN3270 Enhancements

24. **rfc3600.html.old**, (Nov 7 2003)

- TN3270E TN3270 Enhancements 2355

25. **rfc-sidx24.html**, (Aug 24 2003)

- RFC 2355 - TN3270 Enhancements

26. **rfc3300.html.old**, (Jun 10 2003)

- TN3270E TN3270 Enhancements 2355

27. **rfc3000.html.old**, (Jun 10 2003)

- TN3270E TN3270 Enhancements 2355

28. **rfc2900.html.old**, (Jun 10 2003)

- TN3270E TN3270 Enhancements 2355

29. **rfc2800.html.old**, (Jun 10 2003)

- TN3270E TN3270 Enhancements 2355

30. **rfc2700.html.old**, (Jun 10 2003)

- TN3270E TN3270 Enhancements 2355

31. [rfc2626.html.old](#), (Jun 10 2003)

- 2355:

32. [rfc2600.html.old](#), (Jun 10 2003)

- TN3270E TN3270 Enhancements 2355

33. [rfc2562.html.old](#), (Jun 10 2003)

- TN3270E, defined by RFC 2355 [19], refers to the enhancements made to
- Enhancement (RFC 2355 [19]) RESPONSES function to calculate response
- [19] Kelly, B., "TN3270 Enhancements", RFC 2355, June 1998.

34. [rfc2561.html.old](#), (Jun 10 2003)

- and managing TN3270E servers. TN3270E, defined by RFC 2355 [19],
- 'pool' is used as it is defined by RFC 2355.
- negotiated. Refer to RFC 2355 for how device types
- [19] Kelly, B., "TN3270 Enhancements", RFC 2355, June 1998.

35. [rfc2500.html.old](#), (Jun 10 2003)

- TN3270E Telnet Option - TN3270 Enhancements 2355*

36. [rfc2400.html.old](#), (Jun 10 2003)

- 2355 - TN3270 Enhancements
- TOPT-TN3270E TN3270 Enhancements 40 Draft Ele 2355 *

37. [rfc2399.html.old](#), (Jun 10 2003)

- 2355 Kelly Jun 1998 TN3270 Enhancements

38. [rfc2355.html.old](#), (Jun 10 2003)

- Request for Comments: 2355 Auburn University

39. [rfc2355.html](#), (Jun 8 2003)

- TN3270E TN3270 Enhancements 2355

Results Summary for query "2355":

59 matches in 39 files
(Some matches may be to HTML tags which may not be shown.)

Your search allowed **NO** spelling errors, with up to **30** matches per RFC and was limited to only the first **100** RFCs encountered.

The search **did not care about 'case'**. Meta character interpretation was **enabled** in your search string and only **whole words** were searched.

[Back To RFCs](#) - [Usenet References](#) - [Usenet FAQs](#) - [HTML RFC Search Engine](#)

*© Copyright The Internet FAQ Consortium, 2003
All rights reserved*